

ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900 Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Marc Liechti APEC - Meadow Lake Water 75 Somers Rd. Somers, MT 59932

PWS ID: 00914

Project:

 Client Sample ID: - Sink
 Lab ID: 2404327-01

Matrix: DRINKING WATER Collected: 05/08/2024 11:30 Received: 05/08/2024 11:40

Coliform	Result	<u>Units</u>	<u>RL</u>	MCL	Method	Prepared	Analyzed	<u>Analyst</u>
Coliform Bacteria	Absent	P/A	1	1	SM9223B	05/08/2024 14:30 05	/09/2024 11:45	BSB
Coliform, Escherichia - P/A	Absent	P/A	1	1	SM9223B	05/08/2024 14:30 05	/09/2024 11:45	BSB

MCL = Maximum Contaminant Limit RL = Reporting Limit

ND = Not Detected

MEL REVIEW:

Page 1 of 2



ANALYTICAL REPORT

Montana Environmental Laboratory LLC

1170 N. Meridian Rd., P.O. Box 8900, Kalispell, MT 59904-1900 Phone: 406-755-2131 Fax: 406-257-5359 www.melab.us

Marc Liechti APEC - Meadow Lake Water 75 Somers Rd. Somers, MT 59932

PWS ID: 00914

Project:

LA	Montana Environm 1170 N. Meridian Rd., Phone: 406-755-2131 To of Custody for Public Water S Samples must arrive at the la Keep sample cool, not frozen. Fi	ental Lab Box 8900, K 406-257-5359 upply Total	oratory LLC (alispell, MT 59904 www.melab.us	BU acteria Sation.	C amples	
Public Wa	ter MEADOW FIAE MANOR		PWS#:	0000	914	
Sample Type	Sample Location	Cl ₂	Sample Date & Time		Lab #	
RT	SIHK	0	5-8-24	11:30	4327	
One copy Mail to:	of the report is included in the price of the test	. How would yo	u like to receive this	report?		
(Please Print	owledge that this sample was collected at the above by: (5, C, AUT9	locations, date a	nd times. Phone #: 991	5881		
	Extr	a copies of re	eria and E. coli te eport, faxes, ema a postage prepai Tota	ails (\$1 eac	be:	
Pagaired hi	LAB US	SE ONLY			304	
	5-8-24 / 11:40	w cooler	cooler returned B UPS Courier	Shipping charge:\$		
Paid by:	vepre					
Amount: \$	CC CASH CHK#	PP mon	inv mail inv	Email inv	EMAIL ALI	
Customer no		100000				